


19" standard installation, easy operation and maintaining at the back, double section welded frame structure.





FEATURES

- 600x550x6U double section wall box
- 19" standard installation
- Tempered glass front door with wider than 180 degrees turning angle
- Removable side panels for easy access
- Cable entry at the top cover and bottom panel
- Easy operation and maintaining at the back
- Double section welded frame structure

SPECIFICATION

Dimension (HxWxD):

14.57" x 23¾" x 21¾" (37.00cm x 60.33cm x 55.25cm) Material: SPCC Cold Rolled Steel Finish: Black Powder Coat Weight: 38.5lbs (17.5kg) Weight capacity: 66lbs (30kg) Distributed in Canada by




620 Rowntree Dairy Rd. Woodbridge, Ontario L4L 5T8 1-888-797-7686

SSYS-WM01-09 **● SYN(SYSTEM**[™] 90 Hinged Wall Equipment Rack

19" standard installation, easy operation and maintaining at the back, double section welded frame structure.





FEATURES

- 600x550x9U double section wall box
- 19" standard installation
- Tempered glass front door with wider than 180 degrees turning angle
- Removable side panels for easy access
- Cable entry at the top cover and bottom panel
- · Easy operation and maintaining at the back
- Double section welded frame structure

SPECIFICATION

Dimension (HxWxD):

19¾" x 23¾" x 21¾" (50.00cm x 60.33cm x 55.25cm) Material: SPCC Cold Rolled Steel Finish: Black Powder Coat Weight: 46.2lbs (21kg) Weight capacity: 66lbs (30kg) Distributed in Canada by




620 Rowntree Dairy Rd. Woodbridge, Ontario L4L 5T8 1-888-797-7686

SSYS-WM01-12 **● SYN(SYSTEM**[™] 12U Hinged Wall Equipment Rack

19" standard installation, easy operation and maintaining at the back, double section welded frame structure.





FEATURES

- 600x550x12U double section wall box
- 19" standard installation
- Tempered glass front door with wider than 180 degrees turning angle
- Removable side panels for easy access
- Cable entry at the top cover and bottom panel
- · Easy operation and maintaining at the back
- Double section welded frame structure

SPECIFICATION

Dimension (HxWxD):

25" x 23¾" x 21¾" (63.50cm x 60.33cm x 55.25cm) Material: SPCC Cold Rolled Steel Finish: Black Powder Coat Weight: 57.32 lbs (26kg) Weight capacity: 66lbs (30kg) Distributed in Canada by




620 Rowntree Dairy Rd. Woodbridge, Ontario L4L 5T8 1-888-797-7686

SSYS-WM01-15 **● SYN(SYSTEM**[™] 15U Hinged Wall Equipment Rack

19" standard installation, easy operation and maintaining at the back, double section welded frame structure.





FEATURES

- 600x550x15U double section wall box
- 19" standard installation
- Tempered glass front door with wider than 180 degrees turning angle
- Removable side panels for easy access
- Cable entry at the top cover and bottom panel
- · Easy operation and maintaining at the back
- Double section welded frame structure

SPECIFICATION

Dimension (HxWxD):

305/16" x 2334" x 2134" (77cm x 60.33cm x 55.25cm) Material: SPCC Cold Rolled Steel Finish: Black Powder Coat Weight: 67.24 lbs (30.5kg) Weight capacity: 66lbs (30kg) Distributed in Canada by




620 Rowntree Dairy Rd. Woodbridge, Ontario L4L 5T8 1-888-797-7686

SSYS-WM01-18 **● SYN(SYSTEM**[™] 18U Hinged Wall Equipment Rack

19" standard installation, easy operation and maintaining at the back, double section welded frame structure.





FEATURES

- 600x550x18U double section wall box
- 19" standard installation
- Tempered glass front door with wider than 180 degrees turning angle
- Removable side panels for easy access
- Cable entry at the top cover and bottom panel
- · Easy operation and maintaining at the back
- Double section welded frame structure

SPECIFICATION

Dimension (HxWxD):


35.43" x 23¾" x 21¾" (77cm x 60.33cm x 55.25cm) Material: SPCC Cold Rolled Steel Finish: Black Powder Coat Weight: 71.65 lbs (32.5kg) Weight capacity: 66lbs (30kg) Distributed in Canada by



620 Rowntree Dairy Rd. Woodbridge, Ontario L4L 5T8 1-888-797-7686

19" standard installation, easy operation and maintaining at the back, double section welded frame structure.





FEATURES

- 600x550x22U double section wall box
- 19" standard installation
- Tempered glass front door with wider than 180 degrees turning angle
- Removable side panels for easy access
- Cable entry at the top cover and bottom panel
- · Easy operation and maintaining at the back
- Double section welded frame structure

SPECIFICATION

Dimension (HxWxD):

42½" x 23¾" x 21¾" (108cm x 60.33cm x 55.25cm) Material: SPCC Cold Rolled Steel Finish: Black Powder Coat Weight: 84.7lbs (38.5kg) Weight capacity: 66lbs (30kg) Distributed in Canada by



620 Rowntree Dairy Rd. Woodbridge, Ontario L4L 5T8 1-888-797-7686